



62'

ENGLISH

SPECIFICATIONS

Overall Length Mt. 19,545

Hull Length Mt. 17,955

Beam max Mt. 5,25

Displacement half load Ton. 29

Hull draught Mt 0,837

Draught under propellers Mt. 1,30

Fuel capacity Lt. 3.500

Fresh water capacity Lt. 800

Engines: Man model V8-900 Hp 900 CV fisc. 75 Inv. ZF350 IV

DECK

- Flags mast
- Stereo waterproof speakers cockpit n.2
- Anchor mod Bruce Kg.20
- TV Receiver type glomex
- Vhf Receiver antenna
- Antifouling paint
- Cleats stainless steel in mid-deck n.2
- Cleats stainless steel in bow n.2
- Cleats stainless steel in cockpit n.2
- Fender stainless steel
- Polyester walkways
- Stainless steel hatch access cockpit
- Zincprotected chain 10 mm length 100 mt
- Shore sockets 220V 50 Ah Mt.15
- Cushions on cockpit sofa
- Cushions sky in sundeck
- Shower with hot and cold water in cockpit
- Anchor chain housing with drain in bow locker
- Lights walkways main deck and cockpit
- Navigation lights and anchorage lights

- Cockpit sidecabinet for sink and grill
 - Stainless steel anchor nose
 - Hydraulic gangway my 3.00
 - Hatch for V.I.P CABIN
 - Floor cockpit and sundeck in teak
 - Stern cockpit in GRP
 - Stainless steel hanch access dinettePorta inox per accesso in dinette
 - **Manual lateral side access to walkway from pilot place**
 - Hanch to engine room
 - Stainless steel lateral handrail mm 30
 - Roll bar GPR
 - Stainless manual bathing ladder extendible in sundeck
 - Hanch access to cockpit
 - Stainless steel writing and logo
 - Plug filling fresh water n.1
 - Plugs filling fuel tank n.2
 - Telescopic table in ALA with wooden surface
 - Windwipers n.2
 - Stainless steel Handrail n.2
-
- Anchor bow winch 1500W barbotin 10mm controllable by wheelhouse and by bow
 - Windscreen tempered glass 8 mm
 - Winch bow 500 W n.1 left side

DINETTE

- Aria condizionata salone (OPTIONAL)
- Sofa in fabric or SKY
- Alogen lights on sofa
- Switchers salon lights with control by salon and entrance
- Cabinet with shelves
- Cabinet separatine kitchen with Tv Lcd 22" retratable
- Bar Cabinet
- Panels lined in wood and fabrics (by architect chiose)
- Floor carpeting
- Hatch access to kitchen
- Hatch access to night area
- Stainles steel door between cockpit and salon
- Pilot and co-pilot chairs in SKY n.1
- Ceilings in SKY
- Hi FI sistem with CD player and n.2 speakers in salon
- Table in wood with aluminium support
- Venetian blinds or plisse
- Thermosta regulating conditionair
- Glass and fixed tempered windscreens

WHEELHOUSE

- Motors instruments
- Roundcounter n.2
- Oil pressure n.2
- Water temperature motori n.2
- Oil pressare inverter.2
- Ruddle angle indicator
- Fuel level
- Water level
- Bidata speed log - eco
- Automatic pilot
- Gps plotter Lcd 8" Color
- Compass
- Controls motors and electronic inverters
- Bow thruster control
- Controls Swichters :

Flaps

Wind wipers with windscreen washer controls

Automatic and manual pumps bilge system

Pneumatic horn

Winch 1500 W

Battery parallel sistem with relais

Cockpit Light

Start engines

Stop engines

Acoustic alarm

Navigation lights

Anchorage lights

- Vhf
- Socket 12V.mod lighter
- Pilot and co –pilot chairs n.1
- Storage drawer
- Glass and bottle taker in bar cabinet
- Lights for control place
- Electric general box with magnetotermic switchers
- Steering wheel in stainless steel and wood
- Instruments cockpit controllers and switchers in ALU
- Cockpit with silkgrafic surfaces
- Dais for driving seat

KITCHEN

- Alogen lights
- Ecstractor hood
- Microwave oven
- Fridge with freezer Lt.180
- Worktop with two sinks with mixer
- Cabinet with dishes taker inside on the wall
- Floor in teak or other wood
- Electrical Socket 12V 220V
- Burner ceramic hob n.4.
- Worktop kitchen in Corian, stainless steel or marble
- Hanch access
- Bulwark cabinet with drawers lined in wood / laminated
- Venetian blinds or plissed

OWNER S CABIN

- Conditioned air cabin
- In ward cabinet with shelves and
- Safe coffer
- Drawers under bed
- Ornaments pillows n.3
- Pillows for beds n.2
- Sofa breakfast
- Alogen lights under ceiling
- Wrapped bed
- Entry Switchers lights
- Switchers control in head bed lights and lateral lights
- Double bed wooden made
- Reading lights n.2
- Matress
- Low cabinet with drawers
- Big stainless steel porthole
- Carpet floor
- Ceiling and walls lined in wood or fabric
- Entry wooden door
- Entry door Owner s head
- Wooden shelv
- Entry ladder
- Venetian blinds or plissed
- Quilt for bed
- Vanity drawers and pouffe

OWNER BATH

- Accessories for bathroom
- Separate shower with glass door
- Wooden grating in teak with automatic exhaust water shower
- Alogen lights
- Switchers control lights
- Ceramic worktop for wash basin
- Shower column with flexible and thermostatic mixer
- Mixer on wash basin
- Wooden cabinet with openings doors
- Stainless steel Porthole
- Floor in teak
- Door Shower glass made
- Entry door in wood
- Socket 12V. 220V.
- Linings in wood or laminat for bathroom
- Looking glass with openings doors and painted shelves
- Venetian blindes
- Top for bathroom in marble or Corian
- Wc in ceramic type Tecma and expulsion pump included
- Ceramic Bidet

VIP CABIN

- Air conditioned cabin
- Wooden wardrobe with oeden wooArmadi in legno con asta appendi abili laterali n.2
- Drawers under bed
- Pillows for bed
- Direct alogen lights
- Direct alogen lights in inFaretti alogeni incassati a soffitto
- Wrapping cover bed
- Switchers control entry lights
- Switchers control headlights bed and lateral lights
- Double bed with wooden structure
- Reading lights n.2
- Mattress
- Stainless steel porthole
- Carpet floor
- Lining ceiling in wood/fabric
- Entry door in wood
- Entry door V.I.P bath room
- Lateral Shelve for all objects in wood
- Venetian blinds or plissed
- Quilt for bed

V.I.P BATH ROOM

- Accessories bathroom
- Box shower with plate
- Wooden grating in teak with automatic exhaust water showewr
- Halogen lights
- Switchers control all lights
- Wash basin in ceramic
- Mixer shower with column and flexible
- Mixer wash basin
- Cabinet wash basin in wood with openings doors
- Stainless steel porthole
- Floor in teak or other wood
- Shower holder in Plexiglas with hing in ALA
- Entry door in wood
- Socket 12V. 220V.
- Linings bathroom and shower in laminate and wood
- Looking glass with openings doors and painted shelves
- Venetian blinds
- Top bath room in Coran, marble or wood
- Wc in ceramic type Tecma with Bidet and exhausting pump embody

GUEST CABIN

- Air conditioned
- Built in wardrobe with door with shelves
- Drawer under bed
- Night table with switchers
- Ornamental Pillows n.2
- Pillows for bed n.2
- Halogen lights
- Wrap around bed
- Switcher control lights entry
- Switchers control lights head bed and lateral
- Single bed with wooden structure and drawer inside n.2
- Lights head bed
- Mattress n.2
- Stainless steel porthole
- Carpet floor
- Ceiling linings in SKY
- Bulwark with wooden doors
- Entry door in wood
- Entry door bathroom
- Shelves for all objects in wood
- Linings walls in fabric and wood

- Venetian blinds or plissed
- Quilt for bed n.2

GUEST HEAD

- Accessories for bathroom
- Shower box with plate
- Wooden grating in teak and automatic exhaust water shower
- Halogen lights
- Switchers control lights
- Wash basin in ceramic
- Mixer shower with column and flexible
- Mixer wash basin
- Cabinet wash basin in wood with opening doors
- Stainless steel porthole
- Floor in teak or other wood
- Shower holder in plexiglas with hinge in ALA
- Entry door in wood
- Socket 12V. 220V.
- Linings bathroom and shower in laminate and wood
- Looking glass with openings doors and painted shelves
- Venetian blinds
- Top bathroom in Corion or marble
- Wc in ceramic type Tecma with Bidet and exhaust water shower pump embodied

ENGINE ROOM

- Cooling water system for engines with vacuum valve and filters 3" located in engine room
- Shaft propeller D.70 mm n.2
- Mechanical seals on the shaft tube heads
- Battery generator 70 Ah in protected case
- Starter batterie 210 Ah n. 2
- Service Battery 210 Ah n.4
- Water heater Lt.60
- Battery charger electronic 24V. 60 Ah
- Air compressor for conditioning air sistem BTU 24.000
- Electroventilator n.2
- Bow thruster
- Propeller a 4 blades
- Automatic fire extinguisher typo Zio Carlo da Kg.4 n.2
- Neon lights in engines room
- Separating filter fuel with small trap
- Sea water filter 3" for cooling engines n.2
- Pump filters

- Generator Kw.6
 - Sea water filter for cooling Genset engines n.1
 - Stainless Steel air vents n.2
 - System Wc tipo Tecma with separate pump with fresh water
 - Extinguisher manual sistem n.2 da 2 kg
 - Flaps sistem with control in wheelhouse
 - Rudder idraulic system
 - Sound proof coating with lead mm.30 e Fibrall coating
 - Shut off fuel by control in cockpit
 - Shut off fan and extractors by control in cockpit
 - Exhaust pipe separated for generator
-
- Polyester exhaust pipe for engines with underhull exit and minim esauste to stern
 - Engines n.2 Man V8 Hp.900 with Inverter Z-Drive
 - Parallel batteries manual and automatic
 - Pressurefresh water pump with tank 20 lt
 - Bilge pump fire extinguisher by manual collector for vacuum function in all bilge areas and via brench pipe to stern and bow areas
 - Automatic bilge pumps full immersion n.3
 - Hange in GPR for exit engine room
 - Socket 220V 50 Ah
 - Galvanic protection
 - Shore supply water disconnecter with pression reduction
 - Aluminium Descending cockpit ladder with steps in teak
 - Tank fuel Lt.3500
 - Tank water Lt.800
 - Manual switch battery
 - Bronze holder for propeller n.2
 - Stainless steel rudder n.2

STANDARD EXECUTIONS

- Emergency stainless steel rod
- Light buoy
- Emergency case
- Mooring ropes n.2 length 15 m.
- No. 10 life jackets
- Use and maintenance manual
- Board instruments, accessories, engines and generator
- No. 2 boat hooks
- No. 6 fenders F3 type
- Ring life jacket with floating rope length 30 m.
- Weather station: barometer, hygrometer and watch
- No. 1 gangway remote control
- Stiff life raft Iso 9650 10 persons
- Rockets and smoke producers kit 50 Mg.

SYSTEMS

- Electric system 24V.

Battery charger 60Ah

Starter engine Battery set 2 x 210 ah

Battery group 4 x 210 ah service on board

Halogen lightings in all rooms

Battery parallel manual and automatic

Charger selector

Switches battery for each group

- Electric system 220 V.

Electrogen groupe 220V 50 HZ da 6 Kw

Socket 220 V 50Ah n.2 with mt.15 cable

Sockets 220 V in all rooms

- Conditioning system hot/cold BTU 24.000 built on engine room with single regulation and control of fancoil in *salon (optionals)*, cabins ,with sea water electropump and valve, filter in engine room

- Fresh water system with pressare pump 24V with expansion tank Lt.20 in engine room

Water tank lt.800 with electric level sensor

Water heater Lt.60 220V located in engine room

Filling fresh water by stainless steel Plug embarking located on walkway

Single Washing pumps Wc for each bathroom

Hot and cold water system for all bath rooms kitchen and cockpit

Cold waterer system in engine room

Washing chain system with sea water by valve located in anchoir locker

- Bling exhaust system:

Full immersion electropumps n.3 by manual and automatic control with switcher and starting LED

Manual pump with distribution for two blinges

Electropump in bronze with collected pipe for all areas and fire extinguish

- Grey water system with central tank for all bathrooms with electropump 24V., manual and automatic control, alarm float, for users kitchen water sinks bathrooms and showers , direct exhaust out

- Black water system with centralised tank for all WC, with manual and automatic electropump, alarm float for bathroom users, exhaust direct out

- Steering control system with pump at wheelhouse, hydraulic steering and cylinder for rudders at stern, hydraulic pressure system

- Fire fighting system made by N.1 fire extinguisher Kg1 in each room, N.2 fire extinguisher Kg.2 in cockpit, N.2 fire automatic fire extinguisher Kg.4 type Zio Carlo in engine room

All the technical data, drawings, accessories and equipments are not contractual and can be modified without giving any previous notice.